

BRM 70144

Identification of a Ca^{2+} -ATPase in cerebellar Purkinje cells

Zaven Kaprielian^{1,*}, A. Malcolm Campbell² and Douglas M. Fambrough²

Department of ¹Biophysics and ²Department of Biology, The Johns Hopkins University, Baltimore, MD 21218 (U.S.A.)

(Accepted 28 February 1989)

Key words: Calcium; Ca^{2+} -ATPase; Purkinje cell; Cerebellum; Endoplasmic reticulum

The expression of a sarcoplasmic reticulum (SR)-like Ca^{2+} -ATPase was studied in the adult chicken cerebellum. A monoclonal antibody, CaS/C1-IgG, specific for the cardiac/slow-twitch skeletal muscle SR Ca^{2+} -ATPase, was used as a probe of protein expression. An immunoblot analysis showed that CaS/C1-IgG recognized similar size polypeptides in adult chicken heart and cerebellum. CaS/C1-IgG recognized fragments of similar size after limited tryptic digestion of cardiac and cerebellar membranes. A two-dimensional α -chymotryptic peptide map analysis demonstrated that the cardiac and cerebellar Ca^{2+} -ATPases were structurally very similar. Immunofluorescence microscopy localized the cerebellar Ca^{2+} -ATPase to Purkinje cell bodies and dendritic trees. These results suggest that the well-known Ca^{2+} uptake system of skeletal and cardiac muscle SR has a remarkably similar counterpart in some neurons.

INTRODUCTION

Calcium sequestration and subsequent release from intracellular stores play important roles in neuronal Ca^{2+} homeostasis^{3,19}. By analogy with non-neuronal systems^{6,7,25}, the endoplasmic reticulum (ER) has been implicated as a major source and/or sink of neuronal calcium^{15,22,28}. Cerebellar Purkinje cells possess abundant ER and subsurface ER-like cisterns in their cell bodies and dendrites and distinct cisternae in their dendritic spines^{12,14,24}, that may contain stores of calcium^{5,10,15}. Recently receptors for inositol 1,4,5-thrisphosphate (IP_3), an intracellular messenger which in many other systems causes release of calcium from intracellular stores^{4,23,26}, have been localized to Purkinje cells²⁹.

A complete picture of Ca^{2+} regulation must also include calcium transport systems. Intracellular Ca^{2+} -ATPases have been identified in a neuronal cell line¹¹, and in the brain^{13,18}. There is a brain Ca^{2+} -ATPase that appears to be sarcoplasmic reticulum (SR)-like. Specifically, a 100 kDa polypeptide

present in a microsomal fraction of rabbit cerebellum was found to be immunoreactive with a polyclonal antiserum generated against the cardiac/slow-twitch Ca^{2+} -ATPase¹⁸. In addition, a cDNA clone isolated from a rat brain library has been shown to encode an alternately spliced product of the cardiac/slow-twitch Ca^{2+} -ATPase gene¹³. However, correlations between molecular identity and localization have not been made for these Ca^{2+} -ATPases.

In this study we used a monoclonal antibody (mAb) to localize an abundant Ca^{2+} -ATPase to Purkinje cell bodies and dendritic trees. We present immunological and biochemical evidence that this Ca^{2+} -ATPase is a form of the Ca^{2+} -ATPase expressed in the SR of cardiac myocytes and slow-twitch skeletal muscle fibers.

MATERIALS AND METHODS

Preparation of one-dimensional peptide maps

Homogenates of adult chicken heart and cerebel-

* Present address: Caltech, Division of Biology, 216-76, Pasadena, CA 91125, U.S.A.

Correspondence: D.M. Fambrough, Department of Biology, The Johns Hopkins University, 34th & Charles St. Baltimore, MD 21218, U.S.A.

D6A56;A526;0299/<162@.;1 12;1?6A2@6; .116A6<; A<
B;6>B29F;2B?<;9 @=6;2==.?AB@2@6; A526;12;1?6H
A60@=6;2@ FA<052.60.9 A205;6>B2@9<0.A2 0.9H
06B: 6; A52@2@A?B0AB?2@ 9 .;1 6; 3.0A 2920A?<;H
=?</?2 ,H?F .;9F@6@5. @12;<;@A?A21 A5.A@<<A5
' 06@A2?;26; &B?86;72 0299@=6;2@C619F .00B:BH
9.A2 0.906B: B=<; 12=<9.?6G.A6<;)52 .
)&.@2 D2 5.C2 612;A63621.:F /2 =.?A <3 A52
:<920B9.? .:056;2?F D5605 @2>B2@A20006B: 6;
<;2 <?<?2 <3 A52@2B?<;9 0<:=.?A:2;A@ +5605
0<:=.?A:2;A@ 0<;A.6; A52 . H)&.@2 0.; /2@A2
?2@<9C21F 6::B;<2920A?<; :60?<@0<=F
5.@.9@</22; 12;<;@A?A21 A5.A&B?86;72 0299
@:<<A5 06@A2?;.216@=9.F @=206.96G296;8.42 D6A5
A52=9.@.: :2?/?.:2C ?)52@2 7B;0A6<;@==2.?
@6:69.?A<A5<@2E6@A6;AD22; =9.@.: :2/?.:2
.;1 A52(' <3 ! '%# :B@092 2;8.?A 2A.9
@B442@A2A5.A A52 7B;0A6<;@6; ! '%# :B@092
:216.A2 2E06A.A6<;H0<;A?0A6<0<B=96;4 .;1 =?<H
=<@21 A5.A A52 :<?=5<9<460.99F @6:69.? ;2B?<;9
@A?B0AB?2@ =?<C612 . 0<::B;60.A6<; 96;8 /2H
AD22; 6;A2?;9 .;1 @B?3.02 :2/?.:2@ 0<B=96;4
12=<9.?6G.A6<; A<C.?6<B@0299B9.?0A6C6A6A6?<B45
A52 ?292.@2<3 0.906B: 6<;@ F .;9<4F D6A5;<;H
;2B?<;9 @F@A2:6A @22:@ 96829FA5.A 6;<@6A<9H H
=5<@=5.A2 & :.F /2 .;<A52? @64;9 D5605 ?2H
92.@2@.906B: 3?<: 6;A?.0299B9.?;2B?<;9 @A<?2@
'202;A9F ?16<9./2921 & 5.@ /22; B@21A<9<0.96G2

' '\$ (

;1?2D@ ("2=.; ' ".;16@ # .;1
'22@2)(0A6C6AFH12=2;12;A00B:B9.A6<; <3 0.906B:
6; &B?86;72 029912;1?6A60@=6;2@ " \$
H
.6;/?6142 ! #6992? .;1 &.78@ % .906B:H
/6;16;4 =?<A26;16@A?6BA66; A52?A./?6; " #
H
9.B@A26; # & .906B: A?;@=<?A1 /B332?6;4 6; ;2BH
?<;@ " # "%# H
B?42@@ # <13?2F && #0!6;;2F (2??6142
#9 ?C6;2 ' .;1 &BA;2F +)52 @20<;1:2@2;42?
96;86;4 ?202=A<?0A6C.A6<A<6;A2?;9 . ?292.@26; 96C2?
\$%" H
B?4<F;2 ' ?F .;1 ??<; FA<052.60.9
9<0.96G.A6<;<3 0.906B: 6; A5212;1?6A60@=6;2==.?AB@<3
A5202??/?9 0<?A2E;1 .A @F;=A60@6A6@A5202??/299.?
0<?A2E \$ H
.:=/299 !& ; # " ;A.; .;1 + *.; +6;892
1@ " ! # \$ % % # # (# (#
"## = H
.?3<96 ;A?.0299B9.? 0.906B: 5<2<@A.@6@ %
& H
296< #' .;1 26G.;; + .906B:H/6;16;4 =?<H

?202=A<?@6A2@?A 02??/299B: .;1 6; =.?A60B9.?A52
&B?86;72 0299/<162@.;1 12;1?6A2@)52 9<0.96G.H
A6<;<3 5645 92C29@3 . H)&.@2 A<A52@2@.:2
?246<;@6@<;@6@A21?6A5A52C62DA5.AA52@22:H
/?.;2H/<B;1 0<:=.?A:2;A@ /<A5 @2>B2@A2;1 ?2H
92.@2;2B?<;9 0.906B:
)56@ @AB1F12;A6362@ . H)&.@2 6; 02??/299.?
&B?86;72 0299@)52 09<@2@A?B0AB?9. :A642;60
@6:69.?6A62@A5202??/299.? .;1 0.?16.0 @9<DHAD6A05
(' . H)&.@2@@B442@A5.AA52@22 2;0<121 /F
A52 @.:2 42;2 .;1 6;160.A2 A5.A A52 D299H8;<D;
. HB=A.82@F@A2<3 @8292A.9;1 0.16.0 :B@092
(' 5.@ . ?2.:78./9F @6:69.? 0<B;A2?=.?A 6; @<2
;2B?<;@

!\$%+" # \$(

+2 A5.;8 29<?2@ (<:2?C6992 3<? A205;60.9 .@ @6@H
A.;02 ? '605.?1 # "2/<C6AG3<? 529= 6; 0?F<@20H
A6<;6;4 ? (56; "6; @ 9./<?A<?F 2=.?A:2;A <3
6<=5F@60@3<? .@ @6@A.;0? =?2=.?6;4 AD<H16:2;H
@6<;9.H05F:<A?F=A60.:=@ .;1 <B? 9/ 0<992.4B2@
3<? @A6:B9.A6;416@0B@@<6<;@ D<B91 .9@<9682 A<
A5.;8 ? <@5B. ' (;2@ 3<? 529=3B9@B442@A6<;@
-! .;1 #2 D2?? @B==<?A21F \$ 9 =?2H
1<0A<?9 A?6;6;4 4?;A@ .;1 A52 ?2@2.705 D.@ @B=H
=<?A21/F . 4?;A 3?<: A52 \$ "

A26;=.?C.9/B:6; .@. ;2B?<;9 .:782? \$%"

H
.C6@ % .;1 2;;2AA * B.; 2?FA5?<0FA09.A5?6;
.;1 09.A5?6;HB:0<.A6;4?<A26;
H
638<C. #.785.; .;1 29.F ' .906B: 6;
A52 @=6;2==.?AB@ <3 12;1?6A60@=6;2@6; A52 12;A.A2
:<920B9.? 9.F2? " H
699 " .;1 5B25 (H ; 6;A?.0299B9.?)&
#4 H12=2;12;A 0.906B: =B:= D6A56;A52\$ H ;2BH
?<;9 029996;2 H
?F E<H@<.A60.;1 E<H12;1?6A6@F;=@2@A52
02??/?9 0<?A2E.; 2920A?<;60?<@0<=2@AB1F \$
H
B;A2@86H .:/96; H# ?22/ .;1 (5B99
;<C29 . =B:= 2E=?2@@@?;/?6; 861;2F .;1 @A<.:05
6@;0<121 /F .; .9A2?;A6C2A?;@0?6=A3 A52 @9<DHAD6A05
:B@092 @.70<=9.@:60?2A60B9B;.H)&.@2 42;2
H
2;8.?A # & ".;16@ # .;1 '22@2)((6:69.?H
6A?3 7B;0A6<;@AD22; =9.@.: :2/?.:2@ .;1 2;1<=9.@H
:60 ?2A60B9B.6; :B@092 .;1 ;2B?<;@
H
2;8.?A # & '22@2)(.;1 ?6;92F E9 ;1<=9.@:60
?2A60B9B:@2>B2@A20006B: 6; A52 @>B6146.;A E<;

- Science*, 202 (1978) 1300–1303.
- 16 Kaprielian, Z. and Fambrough, D.M., Expression of fast and slow isoforms of the Ca^{2+} -ATPase in developing chick skeletal muscle, *Dev. Biol.*, 124 (1987) 490–503.
 - 17 Lin, C.T., Dedman, J.R., Brinkley, B.R. and Means, A.R., Localization of calmodulin in rat cerebellum by immunoelectron microscopy, *J. Cell Biol.*, 85 (1980) 473–480.
 - 18 Lytton, J. and MacLennan, D.H., Molecular cloning of cDNAs from human kidney coding for two alternatively spliced products of the cardiac Ca^{2+} -ATPase gene, *J. Biol. Chem.*, 263 (1988) 15024–15031.
 - 19 McBurney, R.N. and Neering, I.R., Neuronal calcium homeostasis, *Trends Neurosci.*, 10 (1987) 164–169.
 - 20 Meldolesi, J., Volpe, P. and Pozzan, T., The intracellular distribution of calcium, *Trends Neurosci.*, 11 (1988) 449–452.
 - 21 Nahorski, S.R., Inositol polyphosphates and neuronal calcium homeostasis, *Trends Neurosci.*, 11 (1988) 444–448.
 - 22 Neering, I.R. and McBurney, R.N., Role for microsomal Ca storage in mammalian neurones?, *Nature (Lond.)*, 309 (1984) 158–160.
 - 23 Prentki, M., Biden, T.J., Janjic, D., Irvine, R.F., Berridge, M.J. and Wollheim, C.B., Rapid mobilization of Ca^{2+} from rat insulinoma microsomes by inositol-1,4,5-trisphosphate, *Nature (Lond.)* 309 (1984) 562–564.
 - 24 Rosenbluth, J., Subsurface cisterns and their relationship to the neuronal plasma membrane, *J. Cell Biol.*, 13 (1962) 405–421.
 - 25 Somlyo, A.P., Cellular site of calcium regulation *Nature (Lond.)*, 309 (1984) 516–517.
 - 26 Streb, H., Irvine, R.F., Berridge, M.J. and Shulz, I., Release of Ca^{2+} from a nonmitochondrial intracellular store in pancreatic acinar cells by inositol-1,4,5,-trisphosphate, *Nature (Lond.)*, 306 (1983) 67–68.
 - 27 Volpe, P., Krause, K.-H., Hashimoto, S., Zorzato, F., Pozzan, T., Meldolesi, J. and Lew, D.P., 'Calciosome,' a cytoplasmic organelle; The inositol 1,4,5-trisphosphate-sensitive Ca^{2+} store of nonmuscle cells?, *Proc. Natl. Acad. Sci.*, 85 (1988) 1091–1095.
 - 28 Walz, B., Ca^{2+} -sequestering smooth endoplasmic reticulum in an invertebrate photoreceptor. I. Intracellular topography as revealed by OsFeCN staining and in situ Ca accumulation, *J. Cell Biol.*, 93 (1982) 839–848.
 - 29 Worley, P.F., Baraban, J.M., Colvin, J.S. and Snyder, S.H., Inositol trisphosphate receptor localization in brain: variable stoichiometry with protein kinase C, *Nature (Lond.)*, 325 (1987) 159–161.
 - 30 Ziai, Y.-C., Pan, E., Hulmes, J.D., Sangameswaran, L. and Morgan, J.I., Isolation, sequence, and developmental profile of a brain-specific polypeptide, PEP-19, *Proc. Natl. Acad. Sci. U.S.A.*, 83 (1986) 8420–8423.